

SUPPLEMENT TO

The Gazette



of India

No. 26]

NEW DELHI, SATURDAY, JUNE 25, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th May, 1955

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
—		C.		D.		C.		D.		C.		D.		—		C.		D.		C.		D.		C.		D.		C.		D.																	
STATES PART (A) AND PART (C)																Assam																															
Ajmer																Cachar																															
TOTAL																Kamrup																															
																Darrang																															
																Nowgong																															
																Shibsagar																															
																Lakhmipur																															
																TOTAL																															
(Estd. mid-year pop. 741 thousands.)																(Estd. mid-year pop. 9,672 thousands.)																															
Total for w/e 21-5-55																Total for w/e 21-5-55																															
Total for w/e 14-5-55																Total for w/e 14-5-55																															
7-yearly mean for the week																7-yearly mean for the week																															
Andhra																Bhopal																															
Srikakulam																"N. R."																															
Visakhapatnam.																Bihar																															
Godavari East																Gaya																															
Godavari West																Shahabad																															
Krishna																Muzaffarpur																															
Guntur																Darbhanga																															
Nellore																Hazaribagh																															
Kurnool																Manbhum																															
Chittoor																TOTAL																															
TOTAL																																															
(Estd. Mid-year pop. 21,013 thousands.)																(Estd. mid-year pop. 41,828 thousands.)																															
Total for w/e 21-5-55																Total for w/e 21-5-55																															
Total for w/e 14-5-55																Total for w/e 14-5-55																															
7-yearly mean for the week																7-yearly mean for the week																															

Explanation of symbols used : C.—Cases ; D.—Deaths; ..—Nil; N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th May, 1955--*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay								Himachal Pradesh							
Greater Bombay								"N. R."							
Ahmedabad								Madhya Pradesh							
Kaira								Nagpur							
Broach								Wardha							
Panch Mahals								Chhindwara							
Surat								Betul							
Satara South								Bhandara							
Ahmednagar								Jabalpur							
East Khandesh								Sagar							
West Khandesh								Mandla							
Amreli								Hoshangabad							
Nasik								Nimar							
Satara North								Balaghat							
Sholapur								Raipur							
Sabarkantha								Durg							
Belgaum								Bastar							
Bijapur								Amravati							
Dharwar								Yeotmal							
TOTAL								Akola							
(Estd. mid-year pop. 38,892 thousands.)								Buldana							
Total for w/e 21-5-55								TOTAL							
Total for w/e 14-5-55								(Estd. mid-year pop. 21,948 thousands.)							
7-yearly mean for the week								Total for w/e 21-5-55							
Coorg								Total for w/e 14-5-55							
TOTAL								7-yearly mean for the week							
(Estd. mid-year pop. 256 thousands.)								Madras							
Total for w/e 21-5-55								Madras City							
Total for w/e 14-5-55								South Arcot							
7-yearly mean for the week								Mathural							
Delhi								Ramnathapuram							
Delhi City								Malabar							
New Delhi Cantt.								TOTAL							
TOTAL								(Estd. mid-year pop. 37,797 thousands.)							
(Estd. mid-year pop. 1,744 thousands.)								Total for w/e 21-5-55							
Total for w/e 14-5-55								Total for w/e 14-5-55							
7-yearly mean for the week								7-yearly mean for the week							

Explanation of symbols used : C.=Cases; D.=Deaths; . . =Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th May, 1955—*contd.*

		[CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Vindhya Pradesh								Jammu and Kashmir							
TOTAL . 11 4 35 3								"N. R."							
(Estd. mid year pop. 3665 thousands)															
Total for w/e 21-5-55 . 4 3 68 14								Madhya Bharat							
Total for w/e 14-5-55 19 1								"N. R."							
West Bengal								Mysore							
Burdwan	4	4	6	1	..	-		Mandya	20	13	
Bankura	26	12	1		Chitaldrug	4	4	
Midnapur. . . .	55	20	5	1		Tumkur	33	8	
Hooghly	11	56		Chikmagalur	5	5	
Howrah	133	57	6	4		Kolar	1	1	2	..	2	1	
24-Parganas	117	44	4	3		Shimoga	19	8	
Calcutta	195	73	2	2		TOTAL	82	39	2	..	2	1	
Nadia	9	8									
TOTAL 650 274 24 11															
(Estd. mid-year pop. 26,098 thousands.)								Patiala and East Punjab States Union							
Total for w/e 21-4-55 . 458 205 41 15 .. .								TOTAL 1							
Total for w/e 14-5-55 . 672 306 42 26															
7-yearly mean for the week 423 179 175 73								Rajasthan							
								"N. R."							
Grand Total for States Parts (A) & (C) (excluding Bhopal and Himachal Pradesh)								Saurashtra							
757 319 922 187 1 1															
(Estd. mid-year pop. 298,121 thousands.)								Gohilwad 7 2							
Corresponding Total for w/e 21-5-55 . 539 237 1,299 310								Halar 1							
Corresponding Total for w/e 14-5-55 789 360 1,217 249								Sorath 1							
Corresponding 7-yearly mean for the week . 1443 644 1293 335 2 ..								TOTAL 9 2							
STATES PART (B)								Travancore-Cochin							
Hyderabad								TOTAL 2 1							
Aurangabad	-	..	1	..	-		Grand Total for States Part (B) 82 39 16 4 2 1							
Raichur	1	-									
Medak	1	-		Grand Total for States Parts (A), (B) and (C). 839 358 938 191 3 2							
TOTAL 2 1															

Explanation of Symbols used C.=Cases; D.=Deaths; ..=Nil. "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th May, 1955—concl'd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
ARREAR INFORMATION								Madhya Bharat							
West Bengal—								<i>w/e 21-5-55*</i>							
Burdwan . . .								TGTAL . . .							
Bankura . . .															
Midnapur . . .								TGTAL . . .							
Hooghly . . .															
Howrah . . .								TOTAL . . .							
24-Parganas . . .															
								TGTAL . . .							
Calcutta . . .															
Nadia . . .								TOTAL . . .							
Maldu . . .															
Jalpaiguri . . .								TOTAL . . .							
TOTAL . . .															
Vindhya Pradesh															
TOTAL . . .								TOTAL . . .							
Himachal Pradesh															
TOTAL . . .								TOTAL . . .							

Explanation of symbols ; used : C.—Cases ; D.—Deaths .. —Nil.

New Delhi-2 (INDIA) ;
The 21st June, 1955.

K. MITRA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th May, 1955

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Parts A and C)																
Ajmer																
"N.R."																
Andhra																
Adoni	61	35	29·9	2	1	1	..	11	9·4	3			
Anantpur	36	31	44·6	1	..	1	3	12	17·3	1			
Anakapalli	45	21	24·2	1	2	2	..	13	15·0	2			
Bhimavaram	35	25	37·2	3	4·4	..			
Chirala	42	26	32·2	5	1	12	14·9	..			
Chittoor†																
Cuddapah	41	24	30·9	1	3	..	14	18·0	3			
Eluru†																
Gudivada	35	19	28·3	2	..	1	..	6	8·9	2			
Guntur†																
Guntakal	36	23	33·1	1	..	1	..	10	14·4	4			
Kakinada†																
Kurnool	67	60	32·6	—	6	2	3	..	22	13·9	3			
Masulipatnam	86	54	25·3	2	3	23	21·1	7			
Nandyal	37	18	57·3	2	..	4	..	15	21·4	5			
Nellore	92	102	57·6	4	3	3	1	38	21·5	17			
Proddatur†																
Rajahmundry	119	79	28·8	3	1	3	..	36	12·0	12			
Tenali	65	36	26·7	3	3	15	12·4	6			
Vijayawada	194	99	21·9	..	1	..	7	5	3	..	46	10·5	16			
Visakhapatnam	124	52	28·8	5	1	3	..	25	20·4	5			
Vizianagram	74	41	28·8	—	1	..	3	..	29	20·3	5			
TOTAL	1,189	745	32·6	..	1	..	45	22	31	5	330	14·4	91			
Assam } Bhopal } Bihar }																
"N.R."																
Bombay																
Ahmedabad	870	553	33·1	..	1	..	30	7	64	1	313	18·1	106			
Ahmednagar	87	46	27·4	2	1	5	..	15	8·9	3			
Amalner	49	29	30·8	8	..	2	..	13	13·8	6			
Bagalkot	36	26	37·5	2	2	8	11·6	..			
Baroda	237	153	33·6	22	3	17	2	77	16·9	31			
Barsi	45	24	27·7	3	..	1	1	14	16·2	4			
Belgaum	109	35	16·7	1	1	1	1	14	6·7	1			
Bhusawal	61	18	15·2	6	9	7·7	6			
Bijapur	73	38	26·9	1	3	2·1	1			
Broach	66	56	44·1	7	..	6	..	19	14·9	5			
Cambay	41	30	38·1	1	..	4	5·1	1			
Chalisgaon	34	20	30·6	..	1	..	6	1	13	19·9	5			
Dharwar	75	37	25·7	4	..	18	12·5	1			
Dhulia	87	54	32·2	13	..	2	..	19	11·3	9			
Gadag-Betgeri	70	36	26·7	—	12	1	27	20·1	6			
Godhra	40	31	40·3	7	12	15·6	4			
Greater Bombay	3,335	1,366	21·3	4	32	121	3	612	9·6	182			
Hubli	144	50	18·0	3	..	2	..	11	13·9	..			
Jalgaon	77	21	14·2	7	13	8·6	4			
Kalyan	70	33	24·5	3	..	8	5·9	3			
Kolhapur	155	84	28·2	3	2	6	..	36	12·1	4			
Malegaon	62	39	32·7	18	1	2	..	25	20·9	9			
Miraj	44	30	35·4	1	..	2	..	15	17·7	2			
Nadiad	70	68	50·5	15	1	26	19·3	8			
Nandurbar	34	20	30·6	5	7·7	4			
Nasik	115	76	34·6	6	2	5	..	54	24·4	15			
Navsari	49	18	18·9	11	16	16·9	6			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); —=Information not received; ..=Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 28th May, 1955—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Pandharpur	44	31	36.6	4	4	5	1	20	23.6	12
Patan	46	37	41.8	2	..	2	1	15	16.9	1
Poona	584	300	26.8	1	10	27	2	133	11.8	39
Sangli	57	25	22.8	2	3	2	..	17	15.5	3
Satara	40	29	37.7	5	1	12	15.6	2
Sholapur	293	200	35.5	10	2	29	..	75	13.1	24
Surat	245	175	37.1	7	1	17	1	96	20.4	32
Thana†													
TOTAL	7,444	3788	26.5	..	2	..	219	74	326	14	1767	12.3	539
Delhi State													
Delhi City	1,085	521	25.0	85	4	23	..	159	7.6	45
New Delhi	355	108	15.8	6	1	6	..	54	7.9	11
N.A.C. Civil Station, Delhi	111	60	28.1	4	..	14	6.5	9
Delhi Cantt. . . .	49	9	9.6	2	..	5	5.3	..
Delhi Shahdara	51	31	31.6	1	2	2.0	..
TOTAL	1,651	729	23.0	92	5	35	..	234	7.4	65
Madhya Pradesh													
Achalpur	38	24	32.6	..	8	..	10	1	2	..	24	32.6	12
Akola	101	47	24.2	12	1	26	13.4	9
Amravati	98	42	22.3	7	1	4	..	37	19.6	9
Bilaspur	40	21	27.3	4	14	18.2	5
Burhanpur	77	50	33.8	..	3	..	10	18	12.2	..
Chandaf													
Chindwara	30	14	24.3	..	1	..	1	1	1	..	9	15.6	4
Damoh†													
Gondia†													
Hinganghatt†													
Jabalpur†													
Khandwa	58	23	20.6	..	2	..	3	9	8.1	..
Khangaon†													
Kamptee	35	17	25.3	4	21	31.2	..
Murwar†													
Nagpur	513	124	12.6	59	6	10	..	141	14.3	..
Sagar†													
Raipur†													
Raigarh†													
Wardha	45	23	26.6	2	7	8.1	1
Yeotmal	40	17	22.1	7	1	1	..	1	19.5	3
TOTAL	1,075	402	19.4	..	14	..	119	11	18	..	321	15.5	43
Madras													
Ambur	44	37	43.7	1	1	1	6	7.1	1
Aruppukottai	54	47	43.3	4	2	1	..	13	12.5	2
Bodinayakanur	39	20	26.7	1	..	1	..	7	9.3	4
Cannanore†													
Chidambaram	38	12	16.4	1	1	..	8	10.9	4
Coimbatore	227	253	58.0	1	10	18	2	101	23.1	29
Cuddalore	73	67	47.7	5	2	2	2	35	24.9	10
Dindigul	88	64	37.8	..	1	..	1	1	2	1	23	13.6	7
Erode	65	76	60.8	3	2	4	..	19	15.2	5

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th May, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Gobichetty†													
Palayam	37	18	25.3	1	1	1.4	..
Guddiyattam	51	52	53.0	2	4	3	..	17	17.3	5
Kancheepuram	89	71	41.5	1	13	2	35	20.4	8
Karalkudi	43	20	24.2	1	..	1	..	7	8.5	4
Karur	48	21	22.7	1	1	1	..	9	9.7	3
Kozhikode	173	182	54.7	6	12	9	2	111	33.4	21
Kumbakonam	102	105	53.5	3	9	2	38	19.4	8
Madras	1,649	1,072	33.8	60	98	204	5	685	21.6	212
Mangalore	133	67	26.2	1	..	3	..	22	8.6	8
Mathurai	415	348	43.6	..	1	..	7	13	43	1	168	21.1	60
Mayuram	48	64	69.3	2	..	2	2	33	35.7	9
Melapalayam	40	17	22.1	1	1	2	1	7	9.1	2
Nagapattinam	60	56	48.5	2	1	2	..	17	14.7	1
Ottacamund	46	36	40.7	4	2	..	12	13.6	2
Palani	39	29	38.7	1	8	..	16	21.3	3
Palayamkottai	44	50	59.1	4	14	16.5	6
Palghat	76	58	39.7	1	2	..	21	14.4	3
Periyakulam	33	30	47.3	2	1	1	..	11	17.3	1
Pudukottai	49	84	89.1	1	2	1	19	20.2	6
Pollachi	49	38	40.3	2	3	..	18	19.1	1
Rajapalayam	67	30	23.3	3	7	3	..	24	18.6	3
Salem	234	152	33.8	7	5	9	1	60	13.3	4
Srirangam	41	11	14.0	2	1	1	..	15	19.0	3
Srivilliputtur	43	56	67.7	1	2	9	10.9	2
Tanjore	115	161	72.8	2	2	6	..	55	24.9	12
Tellicherry	42	45	55.7	..	1	..	1	4	4	..	24	29.7	3
Tiruchirapalli	245	215	45.6	5	7	14	1	105	22.3	14
Tirunelveli	79	69	45.4	1	5	..	22	14.5	7
Tiruppur	61	51	43.5	3	4	..	13	11.1	4
Tiruvannamalai	44	55	65.0	2	2	4	..	15	17.7	3
Tuticorin	109	97	46.3	4	1	17	8.1	5
Vaniyambadi	42	38	47.0	2	..	3	3	14	17.3	3
Vellore	121	107	46.0	1	1	13	..	49	21.1	14
Villupuram	39	26	34.7	1	1	4	1	12	16.0	4
Virudunagar	51	44	44.9	2	1	3	1	13	13.3	2
TOTAL	5,185	4,151	41.6	..	3	..	127	201	417	34	1,920	19.3	508
Orissa													
Berhampur	70	95	70.7	3	3	1	..	12	8.9	4
Cuttack	114	149	68.1	7	6	6	..	38	17.4	5
Puri	53	24	23.6	6	5	2	..	24	23.6	5
TOTAL	237	268	59.0	16	14	9	..	74	16.3	14
Punjab (I)													
Ambala	64	33	26.9	5	1	4	..	15	12.2	2
Amritsar	335	94	14.6	6	30	..	63	9.8	12
Batala	61	16	13.7	3	5	4.3	1
Bhiwani	56	28	26.1	9	1	6	..	22	20.5	7
Ferozepore	43	14	17.0	1	1.2	..
Hissar	38	21	28.8	4	2	9	12.3	4
Hoshiarpur	50	25	26.1	4	..	14	14.6	7
Jullundur	194	85	22.8	3	2	11	..	24	6.4	7
Karnal	69	19	14.4	1	..	1	..	7	5.3	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 and over in India for the week ending the 28th May, 1955—*contd.*

Town		Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
					C.	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab (I)—contd.															
Ludhiana	.	172	67	20.3	16	22	6.7	3	
Moga†	.	62	27	22.7	5	1	2	..	10	8.4	2	
Pañipat	.														
Pathankot	.	33	18	28.4	1	..	2	..	3	4.7	1	
Rewari	.	36	13	18.8	3	1	6	8.7	..	
Rohtak†	.														
Simla†	.														
Sonepat†	.														
TOTAL	.	1,213	460	19.8	—	50	14	60	..	201	8.6	46	
Uttar Pradesh															
Agra	.	367	203	28.8	3	3	77	..	129	18.3	39	
Allahabad	.	342	140	21.3	2	1	37	..	60	9.1	13	
Amroha	.	60	54	46.9	11	..	4	..	22	19.1	5	
Bahraich	.	46	21	23.8	1	1	2	..	13	14.7	1	
Banaras	.	375	237	32.9	65	10	33	..	185	25.7	44	
Balla	.	34	8	12.3	2	..	1	..	11	16.9	1	
Banda	.	32	16	26.1	3	..	1	..	5	8.1	1	
Bareilly	.	201	57	14.8	11	5	10	..	34	8.8	8	
Bijnor†	.														
Budaun	.	54	25	24.1	6	..	2	..	11	10.6	4	
Basti†	.														
Bulandshahr	.	41	10	12.7	5	5	6.3	..	
Chandausi	.	40	31	40.4	4	1	3	..	12	15.6	2	
Dehra Dun	.	141	25	9.2	3	..	3	..	10	3.7	2	
Etawah	.	63	32	26.5	11	3	6	..	26	21.7	7	
Faizabad-Ayodhya	.	85	33	20.2	4	3	9	5.5	4	
Farrukhabad-Fatehgarh	.	81	47	30.2	..	1	..	3	4	12	..	27	17.4	9	
Ferozabad	.	76	20	13.7	5	2	2	..	10	6.9	4	
Ghaziabad	.	45	15	17.4	16	1	2	..	20	23.2	5	
Ghaziipur	.	36	20	28.9	4	..	2	..	13	18.8	..	
Gorakhpur	.	137	33	12.5	..	12	..	3	2	12	..	47	17.9	15	
Gonda	.	34	7	10.7	1	2	3.1	..	
Hapur	.	48	40	43.4	6	2	1	..	12	13.0	3	
Hardwar†	.														
Hathras	.	61	44	37.6	10	3	6	1	38	32.5	11	
Jaunpur	.	56	25	23.3	3	..	2	..	10	9.3	1	
Jhansi	.	115	79	35.8	30	1	2	..	42	19.0	15	
Kanpur	.	716	280	19.7	..	4	..	102	16	37	3	281	19.7	78	
Kasganj	.	34	6	9.2	5	6	9.2	1	
Khurja	.	40	24	31.3	1	1	2	..	9	11.7	2	
Koil-Aligarh	.	148	44	15.5	..	1	..	20	6	8	..	51	17.9	19	
Lucknow	.	485	266	28.6	..	4	..	58	20	50	2	214	23.0	46	
Mathura	.	108	75	36.2	20	..	5	..	31	15.0	8	
Mau-Nath Bhanjan	.	37	19	26.8	..	3	2	6	8.4	1	
Meerut	.	181	79	22.7	12	4	8	..	36	10.4	11	
Mirzapur-Vindhyachal	.	95	26	14.3	..	1	..	4	2	4	..	18	9.9	4	
Moradabad	.	163	102	32.6	6	3	14	1	40	12.8	10	
Muzaffarnagar	.	72	28	20.3	9	..	2	..	15	10.9	6	
Pilibhit	.	45	33	38.2	..	5	..	13	1	2	..	28	32.4	6	
Rampur†	.														
Saharanpur	.	158	75	24.7	42	1	2	..	54	17.8	18	
Sambhal	.	64	42	34.2	11	2	6	..	22	17.9	4	
Shahjahanpur	.	99	58	30.5	30	1	2	..	53	27.9	15	
Sitapur	.	48	8	8.7	6	1	1	..	35	38.0	10	
TOTAL	.	5,063	2,387	24.6	..	31	..	551	99	363	10	1,652	17.0	433	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (Included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 and over in India for the week ending the 28th May, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P	F.	D.D.	R.D.	M.D.				
West Bengal				"N.R."										
STATES (Part 'B')														
Jammu & Kashmir				"N.R."										
Madhya Bharat				"N.R."										
Mysore State														
Bangalore City	936	459	35.8	—		12	43	50	..	171	13.3	..
Davangere	67	17	23.1	1	7	9.5	..
Kolar Gold Fields	170	75	22.9	..	—	—		5	7	5	..	44	13.4	..
Mysore	285	160	33.7	—	—	—		7	4	4	..	42	8.8	..
TOTAL	1,458	711	25.4	—		24	56	55	..	264	9.4	..
PEPSU														
Patiala City	108	62	29.9		7	1	2	1	24	11.6	12
Malerkotla	34	22	33.6		5	..	2	..	9	13.8	5
Bhatinda	38	16	21.9		2	4	5.5	..
TOTAL	180	100	28.9		14	1	4	1	37	10.7	17
Rajasthan														
Alwar	60	19	16.5	..	2	..		4	1	4	..	18	15.5	3
Bharatpur†														
Bikaner	117	19	8.4	—		5	2	13	..	30	13.3	5
Churu	46	2	2.3
Ganganagar	45	4	4.6		3	..	2	..	10	11.6	2
Tonk†														
Kotah	71	3	2.2	..	—	..		1	..	1	..	8	5.9	3
Sikar	49	2	2.1	1	..	1	1.0	..
Jaipur	341	62	9.5	..	2	..		17	2	12	1	89	13.6	29
Udaipur	103	5	2.5		1	1	1	—	3	1.5	2
Jodhpur	196	19	5.0	..	21	..		24	..	16	2	81	21.5	23
TOTAL	1,028	135	6.8	..	23	..		55	6	50	3	240	12.1	66
Saurashtra														
Bhavnagar	153	30	10.2		15	4	1	..	44	15.0	7
Dhoraji	46	22	24.9		2	3	3.4	2
Gondal	40	24	31.2		3	1	6	7.8	2
Jamnagar	119	14	6.1		13	..	4	..	24	10.5	9
Junagadh	65	22	17.6		14	..	2	..	25	20.0	12
Morvi	42	11	13.6		4	..	1	..	6	7.4	2
Porbandar	63	15	12.4		13	1	24	19.8	14
Rajkot	161	31	10.0		31	2	9	..	75	24.2	32
Surendranagar	41	11	14.0		1	..	2	..	4	5.1	..
Veraval	45	8	9.2		1	1	2	..	8	9.2	2
TOTAL	775	188	12.6	—		97	9	21	..	219	14.6	82

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths included in total deaths ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 28th May, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Travancore-Cochin													
Nagercoil	91	69	39.4	4	5	2	..	21	12.0	5
Trivandrum	213	45	11.0	7	3	7	1	47	11.5	6
Quilon	73	42	29.9	3	..	8	5.7	1
Alleppey	142	94	34.4	3	3	20	7.3	3
Changanacherry	40	86	111.8	1	8	10.4	2
Kottayam	49	2	..	6	6.4	2
Mattancherry	83	243	152.2	6	..	27	16.9	4
Ernakulam	69	58	43.7	1	13	9.8	4
Thrichur	75	229	158.8	1	5	..	17	11.8	1
TOTAL	835	866	57.3	16	12	25	..	167	10.4	28

ARREAR RETURNS

Madhya Bharat

For w/e the 14th May, 1955

Greater Gwalior	267	153	29.8	..	2	..	4	5	1	..	24	4.7	2
Indore	357	114	16.6	25	2	13	1	90	13.1	21
Ujjain	151	48	16.5	14	2	38	13.1	..
Ratlam	71	15	11.0	4	2	..	1	12	8.8	2
TOTAL	846	330	20.3	..	2	..	47	11	14	2	164	10.1	25.0

Madhya Bharat

For w/e the 21st May 1955

Greater Gwalior	267	50	9.7	..	2	..	12	..	1	..	23	4.5	1
Indore	357	97	14.1	19	4	15	..	83	12.1	22
Ujjain	151	52	17.9	13	5	..	2	46	15.8	..
Ratlam	71	13	9.5	..	1	..	5	1	1	..	18	13.2	5
TOTAL	846	212	13.0	..	3	..	49	10	17	2	170	10.4	28

West Bengal

For w/e the 14th May, 1955

Asansol	33	8	12.6	2	5	7.9	2
Baldyabati	65	9	7.2	3	4	3.2	..
Bally	50	2	2.1	3	3.1	1
Baranagar	39	41	54.8	4	1	3	3	..	17	22.7	..
Basirhat	87	8	4.8	2	1.2	1
Berhampur	62	42	35.3	2	1	2	..	9	7.6	1
Bhadreswar	34	6	9.2	2	3.1	1
Bhatpara	141	24	8.9	1	17	..	6	..	54	20.0	13
Budge-Budge	32	12	19.6	1	1	2	3.3	..
Burdwan	81	15	9.7	2	..	2	..	8	5.1	..
Calcutta	2,931	114	20.4	99	78	92	150	6	801	14.2	206
Champdani	40	8	10.4	1	4	5.2	..
Darjeeling	37	22	31.0	3	4.2	..
English-Bazar	35	12	17.9	1	4	6.0	..
Garden Reach	121	20	8.6	3	6	1	2	..	18	7.8	2
Halisahar	40	2	2.6	..
Hoogli-Chinsurah	60	34	29.5	1	1	2	2	..	13	11.3	3
Howrah	471	130	14.4	26	1	..	9	9	36	..	132	14.6	40
Kanchrapara	71	26	19.1	..	4	17	5.1	..
Krishnagar	55	115	109.0	1	..	1	14	13.3	3
Midnapore	44	19	22.5	1	4	4.7	..
Nabadwip	67	35	27.2	7	2	1	..	17	13.2	7
Naihati	61	4	3.4	1	5	4.3	1
North Barrackpore†													
Panibati	62	5	4.2	1	0.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infants included in total deaths) ..=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of over 3,000 in India for the week ending the 28th May, 1955—*concl'd.*

Town	Mid.-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	Deaths from :—						Total	D.R.*	I.D.
							F.	D.D.	R.D.	M.D.					
West Bengal—contd.															
Shantipur	48	11	11.9	1	5	5.4	..			
Serampore	82	18	11.4	1	10	4	..	29	18.4	5			
Siliguri	42	11	13.7	1	1.2	..			
South Dum Dum	79	1	0.7	1	0.7	..			
South Suburban	120	73	31.7	7	1	3	17	7.4	4			
Titagarh	76	21	14.4	5	2	..	16	..	3	28	19.2	3			
TOTAL	5,166	1,879	18.8	155	7	..	151	117	216	8	1,212	12.1	293		

Saurashtra					For week the 21st May 1955												
Bhavnagar	153	54	18.4	10	2	5	..	30	10.2	6
Dhoraji	46	21	23.7	4	..	1	..	11	12.4	6
Gondal	40	18	23.4	7	3	12	15.6	2
Jamnagar	119	15	6.6	11	2	4	..	27	35.1	11
Junagadh	65	20	16.6	26	..	1	..	32	25.6	23
Morvi	42	14	17.3	3	4	1	..	9	11.1	1
Porbandar	63	13	10.7	7	..	2	..	14	11.6	1
Rajkot	161	63	20.3	15	4	7	3	50	16.1	16
Surendranagar	41	12	15.2	2	..	1	..	4	5.1	2
Veraval	45	4	4.6	5	1	2	..	9	10.4	..
TOTAL					775	234	15.7	..	—	—	90	16	24	3	198	13.3	68

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 28th May, 1955, relate to 201 towns with an estimated population of 27,333 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 67% of the total number of towns representing 70% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,930 and 7,426 representing birth and death rates of 28.4 and 14.1 per thousand of population respectively.

(A) States (Part A and C).—The data here relate to 166 towns with an estimated population of 23,057 thousands. Information about Ajmer, Bihar, and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 66% of the total number of towns representing 71% of the total population

is covered. The number of births and deaths recorded in these towns were 12,930 and 6,439 representing birth rates and death rates of 29.2 and 14.7 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 35 towns with an estimated population of 4,276 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 72% of the total number of towns representing 67% of the total population is covered. The number of births and deaths recorded in these towns were 2,000 and 927 representing birth and death rates of 24.3 and 11.3 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/c 28-4-55		Corresponding w/c last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	32.0	14.4	27.3	15.3	†	†
Bombay . . .	26.5	12.3	26.1	13.8	27.4	11.3
Delhi . . .	23.0	7.4	19.2	13.3	25.4	13.4
Madhya Pradesh . . .	19.4	15.5	21.8	22.4	26.1	25.9
Madras . . .	41.6	19.3	37.4	18.0		
Orissa . . .	59.0	16.3	50.9	17.1	40.8	19.8
Punjab (I) . . .	19.8	8.6	22.1	9.7	22.0	10.9
Uttar Pradesh . . .	24.6	17.0	19.6	15.4	23.8	20.8
India (Only States Parts A and C).	29.2	14.7	26.9	15.8	28.1	18.3

Figures not available.

DELHI-2 (INDIA) ; }
21st June, 1955 } J

K. MITRA,
for Registrar General India.

